

# EXPO EXHIBITOR SHOWCASE



## 3M

### Booth 819

Trust the source. 3M™ Floor Sanding Abrasives support you from start to finish. And it doesn't stop there – with more than 100 years of heritage and innovation, you can trust 3M for all your floor sanding needs, from personal safety to masking and abrasives. This is performance that makes you proud.

[3M.com](http://3M.com)



## AACER FLOORING

### Booth 633

National Treasures Collection, Aacer Flooring's inaugural engineered flooring line, is proudly made in the USA using prized northern hardwoods. This 1/2" engineered wirebrushed collection features a 7-ply birch core, 2mm and 3mm wear layer, 3-1/4", 5" and 7" widths. Visit #633 to see and feel our National Treasures Collection.

[aacerflooring.com](http://aacerflooring.com)



## ABSOLUTE COATINGS GROUP

### Booth 913

Introducing Absco Grand Build, the latest in Oil-n-H2O technology wood floor finish. The Absco Grand Build Oil-n-H2O technology delivers the convenience of a water-based finish with the durability and beautiful appearance of oil. This new high solids formula creates a greater build resulting in excellent wear resistance in fewer coats.

[absolutecoatings.com](http://absolutecoatings.com)




## ALBERT BAUPRODUKTE GMBH

### Booth 735

The no. 1 in floor protection. The slightly adherent mat with a breathable protective film is suitable for the temporary protection of parquet, hardwood, and laminate floors as well as carpets. The 2mm thick nonwoven material protects the floor against scratches and imprints.

The underside contains a special adhesive which prevents the nonwoven material from slipping. [floorotex.com](http://floorotex.com)



## ALLEGHENY MOUNTAIN HARDWOOD FLOORING

### Booth 1338

R&Q red oak is a great alternative to R&Q white oak for various reasons: less expensive; great option for rift only – red oak has less fleck than white oak; beautiful shades of dark brown to light pink & takes stain well; less knots in natural grade than white oak.

[alleghenymountainhardwoodflooring.com](http://alleghenymountainhardwoodflooring.com)

# EXPO EXHIBITOR SHOWCASE



## AMERICAN OEM

*Booth 413*

American made hardwood, American made tradition. At American OEM Hardwood Flooring we're reviving the American hardwood flooring industry by continuing a generations-long tradition of handcrafted hardwood floors made in America using North American hardwood. Learn more about our design-leading, cost-effective, durable flooring at [americanoem.com](http://americanoem.com).



## AMERICAN SANDERS

*Booth 811*

The FloorCrafter, engineered to be the most aggressive belt machine in the industry, was also designed to provide reduced vibration. Its cutting ability allows hardwood sanding professionals the ability to increase production while achieving imperfection-free results. The FloorCrafter is truly a unique and innovative approach to hardwood floor sanding. [americansanders.com](http://americansanders.com)



## APPALACHIAN LUMBER COMPANY

*Booth 609*

We manufacture a wide variety of stair parts: standard & custom treads, including winders and starter steps, risers, box newels, pickets, handrails and much more. Our products are available in over 20 species and many are stocked for fast delivery. Call us today for a quote at 800.298.3202. [appalachianlumber.net](http://appalachianlumber.net)



## APRILAIRE

*Booth 414*

Aprilaire has been delivering indoor humidity control solutions for more than 50 years with its line of humidifiers and dehumidifiers. In addition to the company's other products, Aprilaire is featuring its Model 800 Steam Humidifier at this year's NWFA Expo. The 800 can deliver up to 34.6 gallons of moisture per day. [aprilaire.com/hardwood](http://aprilaire.com/hardwood)



## BONA US

*Booths 1019 & 1532*

The new Bona Battery Operated R850T Applicator Gun is lightweight and easy to operate. It uses a 20 oz. Bona R850T sausage and eliminates mess or waste when dispensing. [bona.com](http://bona.com)

# EXPO EXHIBITOR SHOWCASE



## BOSTIK INC.

### Booth 1001

Bostik, Inc. introduces Climbe™, an adhesive specifically formulated for hardwood flooring, planks and blocks on interior, above-grade walls and installation of stair tread caps. Climbe™ is ideal for any vertical application in addition to tread caps and risers and offers superior elasticity allowing the adhesive to move with the wood as it expands and contracts. For the latest information, visit [bostik.com/us](http://bostik.com/us).



## CENTENNIAL WOODS - UVVECO

### Booth 535

UVVECO™ is a UV cured finish for wood floors. Most installations can be done same day without extra ventilation and be ready to use the same day. UVVECO™ lasts 2 to 3 times longer than traditional finishes and has extremely low VOCs (only 85 g/l).

[uveeco.com](http://uveeco.com)



## CIRANOVA NORTH AMERICA

### Booth 428

FORTICO is an innovative lacquer range for the future, developed using the latest technologies. FORTICO is a high performance, water-based, polyurethane lacquer for the protection of parquet and suitable for floors submitted to high traffic use and has an excellent chemical and mechanical resistance.

[ciranova-na.com](http://ciranova-na.com)



## DELMHORST INSTRUMENT CO.

### Booth 500

Delmhorst's ProScan Pinless Moisture Meter is the must-have compact, lightweight tool designed for flooring installers and inspectors to measure moisture in wood flooring and subfloors. Know your materials are properly dried and ready for installation! 1. Built-in species correction. 2. Rugged one-piece sensor. 3. Measures %MC without damaging the sample.

[delmhorst.com](http://delmhorst.com)



## DOUCET MACHINERIES INC.

### Booth 1219

The DSS In-Motion Crosscut Saw is designed for flooring/component mills operating a moulder at a feed rate up to 350 feet per minute. Parting away from the "stop chop and go" operating principle, the DSS practically doubles the throughput capacity of traditional. It offers higher speed up to 8 cuts per second.

[doucetinc.com](http://doucetinc.com)

# EXPO EXHIBITOR SHOWCASE



## DRITAC FLOORING PRODUCTS LLC

### Booth 1119

Supreme Green, DriTac 7800 provides unlimited subfloor moisture control with no testing required and lifetime warranty! This 5-in-1, “green” hybrid polymer wood flooring adhesive offers sound and moisture control, isolates cutback adhesive, and provides crack suppression capabilities. Supreme Green is easy to clean off the wood surface wet or dry. [dritac.com](http://dritac.com)



## DURASEAL

### Booth 711

Count on DuraClear Max to deliver the ultimate look and protection. A GREENGUARD Certified, non-ambering, 2K technology that delivers maximum performance in scratch, moisture, and chemical resistance. With excellent flow and leveling, it's a breeze to apply. And with its longer pot life, there's less waste. It offers superior coverage for better efficiency and a faster return to service. [duraseal.com](http://duraseal.com)



## EAGLE MACHINERY & SUPPLY, INC

### Booth 432


Eagle Machinery & Supply, Inc. manufactures a complete line of Automated Optimizing Crosscut Saws including the flagship Talon 3000 (Pictured) Talon HD/HS+, Talon SD, and Talon Pushcut. These saws can be connected to WoodEye Scanning Systems for the ultimate automated solution or run with conventional controls. [eaglemachines.com](http://eaglemachines.com)



## EDTM INC

### Booth 529

One inexpensive Thermo-Hygrometer (made for wood flooring) can improve customer satisfaction and prevent costly claims. By educating your customer about humidity control, you identify problems before they become costly headaches. Place your logo on the device, the box, and even the LCD screen for added branding opportunities! [edtm.com](http://edtm.com)



## EMACK MANUFACTURING

### Booth 743

Aimed at helping industry professionals increase efficiency while reducing effort, the EMack Ryder Cart allows users to operate up to three sanders simultaneously, reducing sanding time and removing strain on the body. Single phase and 3-phase are available for 230V or 480V of power. For more information or to order, call 616.241.3040 or visit [emackmfg.com](http://emackmfg.com).


# EXPO EXHIBITOR SHOWCASE



## FIDBOX, LLC

*Booth 331*

HM Box is a digital measuring device that determines the dampness and vapor emission of different floor construction materials for an extended period of time. Fidbox Electronic Monitoring System is a data logger with a Bluetooth enabled mobile app that communicates with the Fidbox to alert the homeowner that the environment is outside of the manufacturer's requirements. [fidbox.net](http://fidbox.net)



## FLOORING PRO FASTENING LLC

*Booth 729*


Flooring Pro Fastening is dedicated to producing top-quality fasteners at a lower cost. Our focus is on the needs of the flooring industry professional. Flooring Pro Fastening is your one-stop mill for quality flooring fasteners. Our cleats are made in North America. [fpfastening.com](http://fpfastening.com)



## GLITSA

*Booth 1319*

GlitsaMax x2 is Glitsa's newest two-component, commercial waterborne finish that offers improved dry times and easier application. GlitsaMax x2 is crystal clear and provides superior scuff and scratch resistance. Available in Semi-Gloss, Satin and Ultra Matte sheens. Glitsa's waterborne line includes TruSeal, Infinity II and GlitsaMax x2. [glitsa.com](http://glitsa.com)



## GRAF BROTHERS FLOORING INC.

*Booth 927*

Graf Brothers Platinum Prefinish Collection uses a Bona brand product which is specifically designed for industrial manufacturer's factory application. Our prefinished flooring is UV Cured. This additional process makes the finish more durable and scratch resistant due to the superior curing of the wood. UV Curing allows us to apply multiple coatings of product in an efficient time frame. [grafbro.com](http://grafbro.com)



## GREAT LAKES CUSTOM TOOL MFG. INC.

*Booth 830*

Produces a smooth shearing action, reducing tear-outs; replaceable blades twisted to a known helix; blades are easily replaced with a high degree of accuracy; with proper grinding, blades can be sharpened; available in straight bore, hydro bore, and Powerlock. [glct.com](http://glct.com)

# EXPO EXHIBITOR SHOWCASE



## HARDWOODS OF WISCONSIN

*Booth 1224*

Hardwoods of Wisconsin offers reclaimed hardwood, a truly stunning product that takes the beauty of century old wood and allows it to be admired again. This product has many applications and is available in mixed hardwood or mixed oak with original face or sawn face. Available finished or unfinished.


[hardwoodsofwisconsin.com](http://hardwoodsofwisconsin.com)



## HARRIS WOOD FLOORS/Q.E.P. CO. INC.

*Booth 1201*

An up-scale series with an innovative artistic twist. The matte finish coupled with ultra-modern colorations provides a sense of new-age sophistication with a hint of traditional comfort. Ideal for high traffic-areas in both residential and commercial settings, WYNWOOD is designed to enhance the unique natural characteristics and beauty real wood flooring has to offer. [harriswoodfloors.com](http://harriswoodfloors.com)



## LACROSSE FLOORING

*Booth 1307*

Lacrosse produces solid, unfinished, northern hardwood flooring for those seeking consistent, high quality, unique flooring solutions. Full-time foresters and innovative manufacturing systems allow Lacrosse to manage each process, from forest to floor. Investing in state-of-the-art machinery and passionate people, Lacrosse works with distributors and purchasing influencers to guide each customer to the right solution. [lacrosseflooring.com](http://lacrosseflooring.com)



## LÄGLER

*Booth 803*

Premium Sanding Technology (PST®) training helps sand-and-finish professionals boost their bottom lines by producing predictable results that increase jobsite quality and efficiency. More than 2,000 companies are benefiting from PST certification. PST is offered in Denver, the U.K., and at Lägler world headquarters in Germany. Learn more at [laglerpst.com](http://laglerpst.com).



## LENMAR

*Booth 827*

Lenmar® wood floor finishes are designed for outstanding performance and are backed by years of advanced wood coatings research. Developing floor finishes that bring lasting beauty and protection has always been a Lenmar® commitment and is visible in our products. See all Lenmar® wood flooring finishing and prep products at [lenmar-coatings.com](http://lenmar-coatings.com)



# EXPO EXHIBITOR SHOWCASE



## LIGNOMAT USA LTD.

### *Booth 1018*

Lignomat offers three different dual-depth pinless meters for flooring. Dual-depth meters can measure 1/4" and 3/4" deep and come with species corrections for domestic and tropical hardwoods, and different types of bamboo. Qualitative measurements can be taken in concrete. Depending on model, in-situ probe tests can be performed and pin electrodes can be added. See all meters at our booth 1018. [lignomat.com](http://lignomat.com)



## LOBA-WAKOL, LLC

### *Booth 621*

HS 2K Intensive Color A.T.

Colored high-solid, two component ambering primer based on natural oils. Easy application, quick-drying oils allow finishing after 12 hours. All variants can be mixed with each other giving a variety of possible combinations. Waterfree and low VOC.

[loba-wakol.com](http://loba-wakol.com)



## MANNINGTON MILLS

### *Booth 507*


This best-selling design in Mannington's Maison Collection now offers two new updated colors. Normandy Oak is a classic European-inspired look that's lightly wire brushed and dual stained to create subtle variation from plank-to-plank. Planks are 7-inches wide and up to 7-feet long and the two new, light hues (Bistro and Brulee) speak to today's interior decorating trends. (shown here in Brulee) [mannington.com](http://mannington.com)



## MAPEI CORPORATION

### *Booth 618*

When it's not possible to refinish a wood or bamboo floor by re-sanding, MAPEI's Ultracoat® ReNewIt, a sanding-free refinishing system for pre-finished and site-finished hardwood and bamboo floors, is the solution. It will provide a new, well-bonded finish that brings back that new-floor look quickly and easily without a full sand-and-recoat process. To learn more about the Ultracoat ReNewIt system, visit [mapei.com](http://mapei.com).



## MAXWELL HARDWOOD FLOORING INC.

### *Booth 1027*

Legacy Reserve is a new Maxwell Hardwood Flooring product from the Legacy line. It is a 3/4" unfinished solid produced from premium rift and quartered lumber. The product comes in up to 12' lengths with an average length of 5'. The rich character is a feature of this appearance grade floor.

[maxwellhardwoodflooring.com](http://maxwellhardwoodflooring.com)

# EXPO EXHIBITOR SHOWCASE



## MERCER INDUSTRIES

### *Booth 504*

Mercer Industries high quality carbide steel blades cut fast, clean and accurate. Laser cut vents reduce noise and vibration, while stabilizing the blade. Laser cut heat expansion slots allow the blade to expand due to heat build-up and the laser cut arbor reduces vibration and wear, keeping rotation consistent.

[mercerindustries.com](http://mercerindustries.com)



## MERLE B. SMITH

### *Booth 1635*

Desiring a completely natural look? Wood surfaces coated with Loba 2K Invisible Protect A.T. look and feel like raw wood. This water-based finish retains wood's original color, while providing superior protection. Suitable for parquet, wood and cork floors in heavily trafficked areas. Visit us at the NWFA Expo, Booth #1635.

[merlebsmith.com](http://merlebsmith.com)



## MULLICAN FLOORING

### *Booth 1009*

EuroSawn white oak combines the three traditional North American sawing techniques to create a classic European look for the solid oak Wexford Collection. Offered in a 5-inch width and lengths up to 7 feet, Wexford's six selections are protected by Mullican's Alpha A' Lumina Real World finish, which carries a 25-year warranty.

[mullicanflooring.com](http://mullicanflooring.com)



## NOFMA

### *Booth 901*

Through the years, NOFMA standards have stood the test of time. NOFMA has been certifying hardwood flooring since 1907 and is the only standard in the industry that assures flooring has been properly kiln dried, manufactured, and graded.

[nwfa.org/NOFMA](http://nwfa.org/NOFMA)



## NORTON ABRASIVES

### *Booth 701*

For all commercial and heavy-traffic residential interior hardwood floors, PolyWhey 3500 Wood Floor Finish provides outstanding mar and scratch resistance and stands up to the rigorous cleaning required of daily use. A neutral odor, great coverage, quick-drying, easy cleanup and long life make PolyWhey 3500 a premium, environmentally smart topcoat.

[nortonfloorsanding.com](http://nortonfloorsanding.com)



# EXPO EXHIBITOR SHOWCASE



## ONEIDA AIR SYSTEMS

### *Booth 712*

The Oneida Air Systems Vortex DCS/Internal filter cleaner/full unit HEPA certification meets EPA RRP requirements including lead. 3x the air performance of most shop vacuums. Pre-separates 99% of dust, dropping it into a 17-gallon bin lined with a plastic bag. Weighs approx. 50 lbs, approx 52" / 110v.

[oneida-air.com](http://oneida-air.com)



## PALLMANN

### *Booth 938*

Pallmann® Magic Oil 2K is a two-component hardened oil penetrating finish for residential and commercial applications. It provides a velvety matte finish that repels dirt and water and gives the floor a rich European hand-rubbed appearance. Available in seven base colors that can be blended, or choose from 27 popular combinations.

[pallmann.us](http://pallmann.us)



## PINNACLE FLOORING

### *Booth 831*

Country Estate features a gently hand scraped surface with subtle distressing, and softly pillowed edges and ends. The rustic grade, 7-1/2" wide European white oak planks are available in six muted shades, and are protected with Pinnacle's low-luster Americ Ultra finish system.

[pinnacleflooring.com](http://pinnacleflooring.com)




## PRIMATECH INC.

### *Booth 718*

One single tool for nailing and stapling. Primattech has developed a unique 18ga tool that does it all. The 550 COMBO combines speed, less fatigue in knees and wrists, tighter, uniform bond between hardwood and subfloor, constant and regular fastening, and no damage to endwall.

[primatech.ca](http://primatech.ca)



## QT SOUND CONTROL (ECORE)

### *Booth 1235*

QT Sound Insulation is a patented line of high-quality sound control underlaments, manufactured in the USA by Ecore, a company that transforms reclaimed waste into unique performance surfacing. QT is made from 92 percent recycled rubber. QT is ideal for multi-family housing, high rises, single family homes and office buildings.

[qtsoundcontrol.com](http://qtsoundcontrol.com)

# EXPO EXHIBITOR SHOWCASE




## SATIN FLOORING

*Booth 1206*

Our Wirebrushed series comes in 9 beautiful on-trend colors and warm grey is featured here. This engineered collection is available in red oak 5" wide planks and in random lengths up to 84" long. Its pre-finished hardwood flooring utilizes our proprietary SolidFused construction and consists of a thick sawn wear layer.

[satinflooring.com](http://satinflooring.com)




## SENECA MILLWORK INC.

*Booth 612*

Let's get straight to the point...or not. Sometimes a straight transition just won't work for those special jobs requiring a curve. Seneca Millwork offers SignatureFlex, a polyurethane flexible line of moldings. Sold unfinished, they can be stained or painted to match your flooring. Pre-curved options are available for tight radiuses.

[signatureflex.com](http://signatureflex.com)



## SHAMROCK PLANK FLOORING

*Booth 1427*

With an admiration for nature and a spirit of freedom, Shamrock Plank Flooring created the Wild Horse Collection. The collection contains eight designer colors in both American White Oak and Hickory, which have been lightly wire brushed to give the wood a time weathered look - shown here in Morgan.

[shamrockplankflooring.com](http://shamrockplankflooring.com)



## SHEOGA HARDWOOD FLOORING & PANELING INC.

*Booth 1111*

Sheoga's precision milling will be on display in Booth #1111. In Phoenix, we will showcase our product lines of 3/4" solid and engineered flooring, available in smooth or textured styles. Be sure to stop in to see our Chevron herringbone and discuss what's new with Sheoga. See you in Phoenix!

[sheogaflooring.com](http://sheogaflooring.com)



## SUPERMAX TOOLS

*Booth 538*

SuperMax Tools offers a wide variety of SuperBrush™ sanders to meet the many needs of your shop. Applications include: raw wood sanding; sealer sanding; de-gloss previously finished wood; clean reclaimed lumber; wire brushing to create distressed, weathered, or Southwest finishes; pull out soft grains to create textured surface.

[supermaxtools.com](http://supermaxtools.com)

# EXPO EXHIBITOR SHOWCASE



## TOOLS4FLOORING.COM

*Booth 1635*

American Sanders FloorCrafter is specifically designed for the wood, sand and finish professional to be the most aggressive belt sander. Engineered to provide minimum vibration and maximum production while maintaining perfect results. Visit us at the NWFA EXPO, Booth #1635 for your source of quality hardwood tools.

[tools4flooring.com](http://tools4flooring.com)



## TRAMEX LTD.

*Booth 722*

Tramex Moisture Testing Systems. Flooring Master Kits include non-destructive meters for subsurface testing of concrete and wood. Reusable Hygro-i Probes enable fast, accurate, economical ASTM F2170 testing and give ambient temperature, relative humidity, dew point and grains per pound readings. Heavy-duty pin-probes provide precise wood moisture content readings for your wood flooring. [tramexameters.com](http://tramexameters.com)



## WAGNER METERS

*Booth 1300*

Wagner Meters' WFP400 Professional Flooring Installer Package is for installers who require accurate wood and concrete moisture measurement capabilities. Includes the damage-free MMC220 and Rapid RH® Touch-n-Sense™ Easy Reader to make monitoring moisture simpler and more reliable. The Rapid RH® Smart Reader paired with the DataMaster™ app gives you COMPLETE RH data integrity. [wagnermeters.com](http://wagnermeters.com)



## WATERLOX COATINGS CORP.

*Booth 919*

Our newest finish is a buff-in, color-infused Tung oil that enhances the color of wood floors while providing a waterproof and beautiful matte finish. Our 11 shades are easy to maintain, low odor and VOC compliant in all 50 states.

[waterlox.com/truetonefloors](http://waterlox.com/truetonefloors)



## WICKHAM HARDWOOD FLOORING

*Booth 1212*

Wild West Engineered Collection. The true nature of the wood remains strong and bold through wirebrushing techniques highlighting warm and natural textures. For more details contact our team at 1.888.4.WICKHAM or go to our website at [wickhamhardwood.com](http://wickhamhardwood.com).

# EXPO EXHIBITOR SHOWCASE



## WINTERSTEIGER

*Booth 1519*

With Wintersteiger you can now repair larger knots and cracks than before with traditional putty. The void is filled 100% in depth allowing for no failures, no shrinkage, no cure time, can be handled, stacked or sanded immediately, and this application only takes seconds!

[wintersteiger.com](http://wintersteiger.com)



## WOODWISE


*Booth 601*

WOODWISE invites you to learn more about their line of products for the hardwood flooring professional. They are showcasing their extensive line of wood fillers, including WOODWISE Wood Patch, Full-Trowel Filler, Powdered Wood Filler, No Shrink Patch-Quick, Pre-Finish Filler and Epoxy Wood Patch. Also stop by and ask about their line of maintenance products and wood flooring tools and accessories. [woodwise.com](http://woodwise.com)

## hardwood floors

THE MAGAZINE OF THE NATIONAL WOOD FLOORING ASSOCIATION

In Print. In Person. Online.



*Hardwood Floors Magazine*, the official publication of the National Wood Flooring Association, offers a signature mix of reporting dedicated to providing wood flooring professionals across the supply chain with the information necessary for personal and business success.

### A Focus On Your Development

Our editorial focus covers every aspect of a wood flooring professional's career.

25%  
TECHNICAL  
EXPERTISE

## SUBSCRIBE TO HARDWOOD FLOORS MAGAZINE

by visiting

[bit.ly/HFMSubscribe](http://bit.ly/HFMSubscribe)

